



FACADE RASP YTANX PROFESSIONAL

A NEW TOOL ON THE MARKET!

Facade Rasp TytanX Professional

it is a new product in the line of professional tools and another original project of our innovation department.

Polystyrene rasps were associated only with classic trowels in standard sizes

Not anymore!

Our new revolutionary tool is a game changer!

Now, leveling large surfaces will be quicker and more precise.

We are certain that thanks to its features, the facade rasp will gain popularity among professionals.

Please, see the presentation!

www.instar.net.pl www.instar.net.pl www.instar.net.pl







FACADE RASP

TYTANX PROFESSIONA

The rasp is made of two elements: a replaceable rasp blade and a profile.

With the various profile length, we can achieve aperfectly straight surface over a large area, leading to reduce glue usage.

Ensures less effort and shorter working time



rasp blade 400 mm

> code: 276-0040

Uncapped aluminum, anodized profile enables free flow of the scraped material Replaceable blade, made of galvanized metal sheet 800
millimeters
1200
millimeters
1600
millimeters
2000
millimeters

Available in 4 sizes
which makes it possible
to work on either large or small
surfaces with more efficiency

Product code/Lenght

276-4080 800 millimeters

276-4120 **1200** millimeters

276-4160 1600 millimeters

276-4200 **2000** millimeters

Thanks to the unique shape of profile you can check the eveness of the workin surface



Get in touch and check out our price!





Facade Rasp TytanX Professional a new tool on the market!

Rasps in construction work are primary used for shaping and smoothing rough surfaces in material like polystyrene. They are particulary useful for thermal insulation of buildings.

Our offer includes several different types of rasps.

Keeping in mind our customer's needs, we have designed a new type of rasp, the **Facade Rasp TytanX Professional**. The main advantage of our tool is the possibility of leveling the large surface quick with less labore force.

It allows to better preparation of the material before finishing layer what results in less glue consumption.



www.instar.net.pl www.instar.net.pl www.instar.net.pl







The designed and visual aspects of the Facade Rasper TytanX Professional

The Facade Rasp TytanX Professional profile is made of silver anodized aluminum. Anodizing the aluminum profile creates a coating with increased resistance to dirt, abrasion, as well as durability and aesthetic appearance of the element.

The metal blade is mounted on an aluminum profile. The rasp's profile is not plugged. This ensures a free flow of the scraped material.

Workin with the facade rasp you will never have to worry about the clogging problem. Thanks to this, your work will be more efficient and effective.

The facade rasp is marked with engraved logo like every other tool from TytanX.











Facade Rasp – comfort and precision of work on a larger surface

The TytanX Professional Facade Rasp, has many more features than a typical polystyrene rasp. It is strong, stiff and perfectly straight.

This ensures precise leveling of polystyrene boards with shorten rubbing time and reducted effort during work.

The shape of the profile allows you to check the evenness of the surface immidately without using a level.

The main advantages of the tool:

- possibility of obtaining a perfectly straight surface on a large wall
- shorter working time
- less effort during work
- lower glue consumption







Facade Rasp TytanX Professional is available in four lenghts:

product code	product name	lenght	pcs/pack	quantity pallet
276-4080	FACADE RASP FOR POLYSTYRENE	800 mm	1 or 2 pcs	208 pcs
276-4120	FACADE RASP FOR POLYSTYRENE	1200 mm	1 or 2 pcs	104 pcs
276-4160	FACADE RASP FOR POLYSTYRENE	1600 mm	1 or 2 pcs	104 pcs
276-4200	FACADE RASP FOR POLYSTYRENE	2000 mm	1 or 2 pcs	104 pcs







Facade Rasp TytanX Professional replaceable rasp blades

The replaceable blades are available single (400mm) or in sets:

kod produktu	nazwa produktu	długość
276-0042	RASP BLADE SET	800 mm
276-0043	RASP BLADE SET	1200 mm
276-0044	RASP BLADE SET	1600 mm
276-0045	RASP BLADE SET	2000 mm

Depending on the type of material, **one tool can level over 1000 m of elevation!** Possibility of replacing the blades allows you to work on multiple projects.



www.instar.net.pl www.instar.net.pl www.instar.net.pl

1 - Tool promotional video

https://www.youtube.com/watch?v=twbV3hwsgaY



² - Learn how to use it

https://instar.net.pl/tarnik-fasadowy/#film



Presentation and overview Facade Rasp TYTANX PROFESSIONAL YouTube channel: Extremepro

Tourube chamier. Extremepro

https://www.youtube.com/watch?v=rSu8lpF7dSA



Our export departament

Evelyn Kasino-Zemla

Ph.: +48 18 3339 295 ext. 31 Mob.: +48 539 776 660 e-mail: export@instar.net.pl Patrick Maniak

Ph.: +48 18 3339 295 ext. 31 Mob.: +48 539 776 660 e-mail: logistic@instar.net.pl

Detailed contact information

https://instar.net.pl/kontakt/



Producer:

INSTAR Sp.z o.o. Sp.k. tel.: +48 18 33 39 295 Poland 34-600 Limanowa, ul. Tarnowska 9



